

Appendix B

Online Survey Results, by question March 2013

Health of our Youth and Young Adults	Questions 1-12
Health of our Adults and General Public	Questions 13-29
Adequacy and Affordability of Health Care Services	Questions 30-40
Public Health and Environmental Hazards	Questions 41-53
Prevent Injuries	Questions 54-59
Question: Of all the items in the survey, which ones are your top five?	Section 12

7. Health of our Youth and Young Adults

	No Problem	Minor Problem	Moderate Problem – Probably needs more attention	Serious Problem – Definitely needs more attention	Don't Know	Rating Count
1. Soft drink consumption among youth.	2.5% (8)	16.4% (53)	47.2% (153)	30.6% (99)	3.4% (11)	324
2. Obesity rates among youth.	1.2% (4)	6.2% (20)	35.4% (115)	55.4% (180)	1.8% (6)	325
3. Lack of early education in schools that would promote healthy habits.	8.1% (26)	21.8% (70)	39.3% (126)	23.1% (74)	7.8% (25)	321
4. Lack of early education in schools dealing with drug, alcohol, and/or tobacco abuse.	9.9% (32)	24.2% (78)	37.6% (121)	20.2% (65)	8.1% (26)	322
5. Adolescent education about human sexuality, HIV/AIDS and other sexually transmitted infections.	4.7% (15)	25.2% (81)	38.5% (124)	21.7% (70)	9.9% (32)	322
6. Depression or suicide in adolescents.	1.2% (4)	13.4% (43)	40.4% (130)	37.9% (122)	7.1% (23)	322
7. Unwanted or unplanned pregnancies.	2.8% (9)	22.4% (72)	48.1% (155)	17.7% (57)	9.0% (29)	322
8. Difficulty obtaining contraceptive information.	12.2% (39)	27.5% (88)	33.4% (107)	12.2% (39)	14.7% (47)	320
9. Poor nutrition among pregnant women.	8.1% (26)	33.0% (106)	34.6% (111)	7.8% (25)	16.5% (53)	321
10. Inadequate parenting skills or abuse and neglect of children.	1.9% (6)	20.2% (65)	36.4% (117)	34.9% (112)	6.5% (21)	321
11. Not obtaining well child check-ups.	7.5% (24)	34.3% (110)	28.7% (92)	10.3% (33)	19.3% (62)	321
12. Manufacturing or use of drugs such as marijuana and methamphetamines.	1.2% (4)	10.0% (32)	32.7% (105)	48.9% (157)	7.2% (23)	321
answered question						325

8. Health of our Adults and General Public

	No Problem	Minor Problem	Moderate Problem – Probably needs more attention	Serious Problem – Definitely needs more attention	Don't Know	Rating Count
13. Maintaining healthy eating and nutrition, regardless of age.	1.6% (5)	14.5% (46)	47.3% (150)	36.0% (114)	0.6% (2)	317
14. Obesity rates among adults.	0.6% (2)	5.4% (17)	28.5% (90)	65.2% (206)	0.3% (1)	316
15. Lack of places to participate in physical activities.	10.4% (33)	21.8% (69)	37.9% (120)	29.0% (92)	0.9% (3)	317
16. Difficulty in staying fit in the workplace.	4.1% (13)	22.2% (70)	41.8% (132)	29.1% (92)	2.8% (9)	316
17. High blood pressure among the general population.	1.3% (4)	13.3% (42)	49.1% (155)	28.2% (89)	8.2% (26)	316
18. Smoking and tobacco-related diseases.	2.2% (7)	18.4% (58)	49.4% (156)	26.3% (83)	3.8% (12)	316
19. Cancer.	0.6% (2)	12.9% (41)	39.7% (126)	42.6% (135)	4.1% (13)	317
20. Diabetes.	0.9% (3)	6.0% (19)	38.5% (122)	51.7% (164)	2.8% (9)	317
21. Heart disease.	0.6% (2)	8.5% (27)	43.8% (139)	43.2% (137)	3.8% (12)	317
22. Neglect of recommended preventive check-ups such as physical exams.	3.2% (10)	19.3% (61)	49.7% (157)	19.3% (61)	8.5% (27)	316
23. Reluctance or inability to follow professional advice regarding one's specific health problems.	2.5% (8)	22.4% (71)	47.6% (151)	19.2% (61)	8.2% (26)	317
24. Difficulty of seniors, ill, or disabled persons to perform routine household chores.	2.5% (8)	26.6% (84)	43.7% (138)	16.1% (51)	11.1% (35)	316
25. Availability of services to help seniors living at home.	3.2% (10)	27.6% (87)	39.4% (124)	17.8% (56)	12.1% (38)	315

26. Misuse of drugs or alcohol.	0.9% (3)	14.6% (46)	43.7% (138)	35.8% (113)	5.1% (16)	316
27. Misuse of prescription medications.	1.3% (4)	23.2% (73)	39.4% (124)	22.9% (72)	13.3% (42)	315
28. Lack of seat belt and child passenger restraint usage in vehicles.	11.7% (37)	49.8% (157)	23.2% (73)	6.0% (19)	9.2% (29)	315
29. Failure to obtain preventive dental care.	3.2% (10)	26.9% (85)	37.0% (117)	20.6% (65)	12.3% (39)	316
answered question						317
skipped question						24

9. Adequacy and Affordability of Health Care Services

	No Problem	Minor Problem	Moderate Problem – Probably needs more attention	Serious Problem – Definitely needs more attention	Don't Know	Rating Count
30. Convenient appointments and/or hours for primary care visits.	8.3% (26)	23.7% (74)	31.7% (99)	34.3% (107)	1.9% (6)	312
31. Convenient access to specialists and specialty diagnostic services.	8.3% (26)	29.0% (91)	37.6% (118)	22.9% (72)	2.2% (7)	314
32. Local availability of mental health providers.	7.4% (23)	14.4% (45)	25.6% (80)	43.9% (137)	8.7% (27)	312
33. Availability of dentists that accept Medicaid coverage.	4.5% (14)	15.7% (49)	16.3% (51)	26.0% (81)	37.5% (117)	312
34. Convenient access to retail pharmacies.	41.3% (129)	38.8% (121)	12.2% (38)	3.8% (12)	3.8% (12)	312
35. Availability of alternative therapies such as acupuncture, meditation, yoga, tai chi, etc.	24.4% (76)	39.1% (122)	18.6% (58)	6.4% (20)	11.5% (36)	312
36. Quality of overall healthcare services provided in my community.	29.7% (93)	40.6% (127)	20.1% (63)	8.0% (25)	1.6% (5)	313
37. Difficulty in finding affordable health insurance coverage.	2.9% (9)	10.5% (33)	25.6% (80)	52.4% (164)	8.6% (27)	313
38. Uninsured individuals (no insurance at all).	1.3% (4)	12.2% (38)	27.2% (85)	47.4% (148)	11.9% (37)	312
39. High out-of-pocket costs for deductibles and services not covered by health insurance.	1.0% (3)	8.1% (25)	26.1% (81)	59.0% (183)	5.8% (18)	310
40. Skipping or delays in care because of cost.	1.0% (3)	9.3% (29)	34.1% (106)	49.8% (155)	5.8% (18)	311
answered question						314
skipped question						27

10. Public Health and Environmental Hazards

	No Problem	Minor Problem	Moderate Problem – Probably needs more attention	Serious Problem – Definitely needs more attention	Don't Know	Rating Count
41. Ambulance response times.	49.0% (152)	27.4% (85)	4.2% (13)	1.3% (4)	18.1% (56)	310
42. Education in the community regarding CPR and/or First Aid.	31.4% (96)	38.6% (118)	17.3% (53)	2.3% (7)	10.5% (32)	306
43. Transportation to health care services for rural community members.	14.2% (44)	35.5% (110)	22.6% (70)	11.0% (34)	16.8% (52)	310
44. Need for disaster preparedness.	20.1% (62)	42.7% (132)	22.0% (68)	5.8% (18)	9.4% (29)	309
45. Illnesses caused by improper food handling in restaurants.	23.9% (74)	46.3% (143)	10.7% (33)	2.3% (7)	16.8% (52)	309
46. Lack of education in licensed day care centers on first aid, accident prevention, and communicable disease.	17.7% (55)	34.2% (106)	13.9% (43)	3.5% (11)	30.6% (95)	310
47. Children not getting immunizations against communicable diseases.	10.0% (31)	41.1% (127)	23.9% (74)	6.5% (20)	18.4% (57)	309
48. Flu Shots for the general public.	36.1% (112)	37.7% (117)	15.8% (49)	5.5% (17)	4.8% (15)	310
49. Sexually transmitted infections including HIV/AIDS.	8.1% (25)	41.6% (129)	21.9% (68)	6.1% (19)	22.3% (69)	310
50. Outbreaks of infectious diseases.	15.5% (48)	45.6% (141)	19.1% (59)	6.8% (21)	12.9% (40)	309
51. High radon levels in homes, which may cause lung cancer.	7.8% (24)	30.7% (95)	24.6% (76)	14.6% (45)	22.3% (69)	309
52. Waste disposal for discarded prescription medications.	13.9% (43)	37.9% (117)	20.7% (64)	13.6% (42)	13.9% (43)	309
53. Access to safe drinking water or drought-related problems.	29.0% (89)	34.2% (105)	14.7% (45)	8.8% (27)	13.4% (41)	307

answered question 311


















skipped question 30














11. Prevent Injuries













	No Problem	Minor Problem	Moderate Problem - Probably needs more attention	Serious Problem - Definitely needs more attention	Don't Know	Rating Count
54. Injuries, accidents or accidental poisonings of children in the home.	12.7% (39)	46.6% (143)	16.9% (52)	3.3% (10)	20.5% (63)	307
55. Injuries and accidents in the home among older adults.	5.5% (17)	36.7% (113)	35.7% (110)	8.8% (27)	13.3% (41)	308
56. Lack of helmet use while riding bicycles, motorcycles, or all terrain vehicles.	6.5% (20)	28.9% (89)	39.9% (123)	19.2% (59)	5.5% (17)	308
57. Abuse and neglect of adults unable to care for themselves.	5.8% (18)	33.8% (104)	27.9% (86)	12.0% (37)	20.5% (63)	308
58. Domestic Abuse (sexual, physical or emotional).	2.0% (6)	25.4% (78)	40.1% (123)	20.8% (64)	11.7% (36)	307
59. Prevention programs dealing with farm illnesses and injuries.	8.2% (25)	37.0% (113)	29.2% (89)	8.2% (25)	17.4% (53)	305
						answered question 308
						skipped question 33

12. Of all the items in the survey, which ones are your top five? (Only 5 can be marked)

		Response Percent	Response Count
1. Soft drink consumption among youth.		11.3%	35
2. Obesity rates among youth.		41.9%	130
3. Lack of early education in schools that would promote healthy habits.		13.5%	42
4. Lack of early education in schools dealing with drug, alcohol, and/or tobacco abuse.		8.1%	25
5. Adolescent education about human sexuality, HIV/AIDS and other sexually transmitted infections.		4.5%	14
6. Depression or suicide in adolescents.		31.3%	97
7. Unwanted or unplanned pregnancies.		5.2%	16
8. Difficulty obtaining contraceptive information.		1.0%	3
9. Poor nutrition among pregnant women.		1.0%	3
10. Inadequate parenting skills or abuse and neglect of children.		23.5%	73
11. Not obtaining well child check-ups.		1.3%	4
12. Manufacturing or use of drugs such as marijuana and methamphetamines.		24.8%	77
13. Maintaining healthy eating and nutrition, regardless of age.		23.2%	72
14. Obesity rates among adults.		34.5%	107

15. Lack of places to participate in physical activities.		12.9%	40
16. Difficulty in staying fit in the workplace.		6.8%	21
17. High blood pressure among the general population.		5.5%	17
18. Smoking and tobacco-related diseases.		8.1%	25
19. Cancer.		20.0%	62
20. Diabetes.		17.7%	55
21. Heart disease.		10.0%	31
22. Neglect of recommended preventive check-ups such as physical exams.		4.5%	14
23. Reluctance or inability to follow professional advice regarding one's specific health problems.		4.5%	14
24. Difficulty of seniors, ill, or disabled persons to perform routine household chores.		1.6%	5
25. Availability of services to help seniors living at home.		4.2%	13
26. Misuse of drugs or alcohol.		11.3%	35
27. Misuse of prescription medications.		3.5%	11
28. Lack of seat belt and child passenger restraint usage in vehicles.		1.0%	3
29. Failure to obtain preventive dental care.		4.8%	15
30. Convenient appointments and/or hours for primary care visits.		15.2%	47
31. Convenient access to specialists and specialty diagnostic		6.5%	20

services.			
32. Local availability of mental health providers.		12.6%	39
33. Availability of dentists that accept Medicaid coverage.		5.8%	18
34. Convenient access to retail pharmacies.		0.6%	2
35. Availability of alternative therapies such as acupuncture, meditation, yoga, tai chi, etc.		1.3%	4
36. Quality of overall healthcare services provided in my community.		2.9%	9
37. Difficulty in finding affordable health insurance coverage.		23.5%	73
38. Uninsured individuals (no insurance at all).		11.9%	37
39. High out-of-pocket costs for deductibles and services not covered by health insurance.		21.9%	68
40. Skipping or delays in care because of cost.		11.3%	35
41. Ambulance response times.		0.3%	1
42. Education in the community regarding CPR and/or First Aid.		1.3%	4
43. Transportation to health care services for rural community members.		3.2%	10
44. Need for disaster preparedness.		0.3%	1
45. Illnesses caused by improper food handling in restaurants.		0.0%	0
46. Lack of education in licensed day care centers on first aid, accident prevention, and communicable disease.		0.0%	0

47. Children not getting immunizations against communicable diseases.		2.6%	8
48. Flu Shots for the general public.		0.3%	1
49. Sexually transmitted infections including HIV/AIDS.		0.6%	2
50. Outbreaks of infectious diseases.		1.0%	3
51. High radon levels in homes, which may cause lung cancer.		3.2%	10
52. Waste disposal for discarded prescription medications.		1.0%	3
53. Access to safe drinking water or drought-related problems.		2.3%	7
54. Injuries, accidents or accidental poisonings of children in the home.		0.0%	0
55. Injuries and accidents in the home among older adults.		1.6%	5
56. Lack of helmet use while riding bicycles, motorcycles, or all terrain vehicles.		2.9%	9
57. Abuse and neglect of adults unable to care for themselves.		4.5%	14
58. Domestic Abuse (sexual, physical or emotional).		9.4%	29
59. Prevention programs dealing with farm illnesses and injuries.		1.3%	4
answered question			310
skipped question			31